

()

• •

• •

2015 .

.....	!
.....	5
-10	6
.....	6
.....	6
.....	6
.....	7
.....	7
.....	7
.....	7
.....	8
.....	8
.....	10
.....	10
.....	11

()

,

2014 .. , XVIII
« » 14 2015 .

:
· · · · · · , · · · · · · , · · · · · ·
·
· · ·

/ , -

, / : .

, : .

, EMBASE, MEDLINE PubMed. - 5 .

, : .

• ; .

• ; .

• ; .

• ; .

• ; .

• ; .

• ; .

• ; .

• ; .

• ; .

• ; .

• ; .

• ; .

• ; .

• ; .

• ; .

• ; .

• ; .

• ; .

(Good Practice Points – GPPs)

•
•

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

(1-2) (-
) (- . 1) – good practice points (GPPs) (-
1.

1 ,	,	,	,
1 ,	,	,	,

1	,	,	,	,
,	-	-	,	,
,	-	-	,	,
2	,	-	,	,
,	-	-	,	,
2	,	,	,	,
,	-	-	(,
,	-	-	,	,
,	-	-),	,
2	,	,	,	,
,	-	-	,	,
,	-	-	;	;

*

() – ,
 , ,
 (URI - upper respiratory infection)
), , , , , ,
 « »,
 » (« common cold » –
), (), , ,
 , (.
 (). / :
 :

• (,);
 • (,);
 • (,);
 • (,);
 • (,);
 • (,);
 • (,);
 • (,);
 • (,);
 • (,);
 • (,);

-10
J00 - ().

6-8 - : 0-5 ,
 [1], ,
 10-15% ,
 [2]. (-
) 87-91 100 / ,
 ,

200 , , , , , , ,
 , , , , , , ,
 , , , , , , ,
 ; , , , , , ,
 ,

!) , (-
). , , , ,
 , , , , , ,
 ,

3- - 24-72 .
 2 , . , ;
 ,

, , . 8 (- 8),
 , , , ,
 , , , , , , ,
 , , , , , , ,
 100- , (-
 ,

(« -) » : , ; (1-5%)

, « » » ;

(, « »).

, , , , , , ,
3- , , , , , , , (1-
- 6-7), 1/3-1/2 - (20% 1- 15% - 4-
) [4, 5]. , , , , , , ,

82% , 2-3- ; (5-7)
3 ([6].)

, , , , , , ,
- 10-14 , , , , , , ,

, ; , , , , , , , , , , , , , , ,

, , , , (,) , , ,

, . . . (. . . , . . . 5-10%

1/3 , , 10-15·10⁹/
 () , , >15·10⁹/ » 88%, >30
 / - 100%. 2-3 :
 20·10⁹ .
 - 3 ,
 - ,
 - (.
).
 ,
 ,
 .
 -

) - (10-12
 - 2 [6,7].

• , ,
 • , ,
 , - , « » (-
 , . .), , -

, , , , , 1-2-
 - (: L03AB05), , - 1-2
 3-4 , (- 2b) -
 2-5 : ; ; ;
 - ; <34 150 000 , >34
 150 000 ;
 - 1 7 - 150 000 ;

- 7 - 500 000 .
 (: J05AX13): 2-6 0,05, 6-12 - 0,1, >12 - 0,2 4
 , (: J05AX): 60 / 1, 2, 4 6-
 , 7
 I , .
 : (2) [8].
 24-48
(1):
 • (: J05AH02) 1 4 / / 5
 • (: J05AH01) 5 2 (10) 2
 5 .
 , ,
 (ATX: J06BA02), (1),
 . . 10-14 , , , ,
 , , , ,
 [2, 9, 23].
 , , , ,
 » , ; ,
 , , , ,
 , , , ,
 « » 6 (1),
 6-12 (2) [17].
 () - (2).
 2-3
 (2) [2, 10].

(2-3)
 ,
 (2), (: ROIAB01) 0,125%, (: ROIAB06) 0,5%,
 (: ROIAB07) 0,01-0,025%, (,
) 12 .
 : ,
 , .

$25-30^\circ$, (3 (38-38,5°)) .
3 (39,5°).
,

,
° >38,0° 3
.

(: N02BE01) 60 / (: M0IAE01) 25-

30 / .

. :
. , « » -
,
(2) [13] , 6 , , , ,
(2).
, , , , , , « » -
(2),
[13, 14, 15].

[11, 12]
() « » (2) [13].
,

(2) [14].
(200 /) (2) [18].

3

.
, - , ,
, , , ,
, , , , , ,
, , , , , , ,
(6 (), , , , , , , [19].
(),) - / , 15 / - - 3 5
(J07AX; L03A; J07AX;

A01AB11;

R07AX;

L03AX)

[2].

22]

([17] - . [20]),

[21,

, 1-2 , , , , , , « , , , , » .

1. Heikkinen T, Järvinen A. The common cold. *Lancet* 2003; 361:51.
2. , « ». . 2002 .
3. Noah TL, Henderson FW, Wortman IA, et al. Nasal cytokine production in viral acute upper respiratory infection of childhood. *J Infect Dis* 1995; 171:584.
4. Pappas DE, Hendley JO, Hayden FG, Winther B. Symptom profile of common colds in school-aged children. *Pediatr Infect Dis J* 2008; 27:8.
5. Thompson M., Cohen H. D , Vodicka T.A et al. Duration of symptoms of respiratory tract infections in children: systematic review *BMJ* 2013; 347 doi: <http://dx.doi.org/10.1136/bmj.f7027> (Published 11 December 2013)
6. 2012
7. Gwaltney JM Jr, Hendley JO, Phillips CD, et al. Nose blowing propels nasal fluid into the paranasal sinuses. *Clin Infect Dis* 2000; 30:387.
8. . . (.). . . . 2- . 2009
9. Kenealy T, Arroll B. Antibiotics for the common cold and acute purulent rhinitis. *Cochrane Database Syst Rev* 2013; 6:CD000247.
10. Papsin B, McTavish A. Saline nasal irrigation: Its role as an adjunct treatment. *Can Fam Physician* 2003; 49:168.
11. Singh M, Singh M. Heated, humidified air for the common cold. *Cochrane Database Syst Rev* 2013; 6:CD001728.
12. Little P, Moore M, Kelly J, et al. Ibuprofen, paracetamol, and steam for patients with respiratory tract infections in primary care: pragmatic randomised factorial trial. *BMJ* 2013; 347:f6041.
13. World Health Organization. Cough and cold remedies for the treatment of acute respiratory infections in young children, 2001. http://whqlibdoc.who.int/hq/2001/WHO_FCH_CAH_01.02.pdf.
14. Clemens CJ, Taylor JA, Almquist JR, et al. Is an antihistamine-decongestant combination effective in temporarily relieving symptoms of the common cold in preschool children? *J Pediatr* 1997; 130:463.
15. Taylor JA, Novack AH, Almquist JR, Rogers JE. Efficacy of cough suppressants in children. *J Pediatr* 1993; 122:799.
16. Smith SM, Schroeder K, Fahey T. Over-the-counter (OTC) medications for acute cough in children and adults in ambulatory settings. *Cochrane Database Syst Rev* 2012; 8:CD001831.
17. Mathie RT, Frye J, Fisher P. Homeopathic Oscillococcinum(®) for preventing and treating influenza and influenza-like illness. *Cochrane Database Syst Rev*. 2012 Dec 12;12:
18. Hemilä H, Chalker E. Vitamin C for preventing and treating the common cold. *Cochrane Database Syst Rev* 2013; 1:CD000980.
19. 2001; 5-6, . 39-44.
20. Litzman J, Lokaj J, Krejcí M, Pesák S, Morgan G. Isoprinosine does not protect against frequent respiratory tract infections in childhood. *Eur J Pediatr*. 1999 Jan;158(1):32-7
21. Lissiman E, Bhasale AL, Cohen M. Garlic for the common cold. *Cochrane Database Syst Rev* 2009; CD006206.
22. Linde K, Barrett B, Wölkart K, et al. Echinacea for preventing and treating the common cold. *Cochrane Database Syst Rev* 2006; CD000530.
23. . . , . (.) . , 2007 . 2007; 9(3):200-210.